



Ron-Son's Torch Repairs & Sales Winter Special



Pricing in effect until May 31st, 2019 or while quantities. All prices are subject to change, may vary without prior notice.

INDEX

MIG Machines



Pages 1 - 5

Multiprocessor Machines



Page 6 & 7

TIG Machines



Pages 8 & 9

Plasma Machines



Pages 9 & 10

Wire Feeders



Pages 10 - 12

Accessories



Pages 12 - 17

MIG

Millermatic® 212 Auto-Set™ MIG Welder 907405

All-in-one wire welder that welds material from 22 gauge to 3/8 in. thick, in a single pass.



\$3,074.78

~~\$3,796.80~~

Millermatic® 252 MIG Welder - 200(208)/230V 907321

Welds material from 22 gauge to 1/2 in thick in a single pass. Highest output in its class.



\$3,915.66

~~\$4,841.20~~



Millermatic 350P 200/230/460V 60Hz 1/3Ph 907300

First single- or three-phase power Millermatic that welds material from 22 gauge to 1/2 in thick in a single pass. Perfect for fabrication, manufacturing, maintenance and repair.

~~\$8,801.80~~

\$7,367.36

MIG

Deltaweld®

951301 [452 Stationary PKG] 951239 [652 Stationary PKG]

Industry standard for industrial MIG welding. Designed for manufacturing operations, with 100 percent duty cycle for extended arc-on time.

WHAT'S INCLUDED

- .035 - .045 reversible dual V drive rolls
- 15ft 4/0 work cable with 600A C-Clamp
- 3ft gas hose
- 6ft 4/0 wire feeder to power source weld cable
- Bernard™ BTB Gun 400 AMP, 15FT
- Centerfire contact tips, .035 (QTY 3), .045 (QTY 2)
- Deltaweld
- Regulator/flowmeter
- S-74D Feeder



951239 [652 Stationary PKG]

\$11,959.81

~~\$14,288.40~~

951301 [452 Stationary PKG]

~~\$12,794.60~~

\$10,709.45

Deltaweld® 350 230/460V MIGRunner™ with Intellx Feeder

951792

The manufacturing solution for welders of all skill levels, now offering pulse capabilities in an integrated package.

Quality-engineered cable management, protects your connections on the Integrated Migrunner package to keep you productive.

ArcConnect™ a next generation communication that utilizes high speed signals to improve weld performance and allow point-of-use controls to be located at the feeder.

WHAT'S INCLUDED

- Deltaweld® 350 with ArcConnect™
- Intellx™ Wire Feeder
- Bernard BTB 300A
- .035/.045 in. V-groove drive rolls
- Deltaweld® 350 Running Gear/Cylinder Rack
- Feeder Swivel Kit
- Cart Accessory Kit
- ArcConnect™ Control/Motor Cable 9ft.



\$10,206.73

~~\$12,194.00~~

MIG

Deltaweld® 350 230/460V MIGRunner™ with Intellx™ Pro Feeder

951777

The manufacturing solution for welders of all skill levels, now offering pulse capabilities in an integrated package.



\$10,675.47

~~\$12,754.00~~

PKG,INTELLX, Q3015 ,DR ROLL KIT

951783



\$2,920.23

~~\$3,488.80~~

PKG,INTELLX PRO, Q3015 ,DR ROLLKIT

951784



~~\$4,048.80~~

\$3,388.96



Deltaweld® 350 230/460V With ArcConnect™ 907747

The manufacturing solution for welders of all skill levels, now offering pulse capabilities in an integrated package.

~~\$5,600.00~~

\$4,687.36

MIG

Deltaweld® 350 230/460V With ArcConnect™ and 14pin

907747001

The manufacturing solution for welders of all skill levels, now offering pulse capabilities in an integrated package.



\$4,921.73

~~\$5,880.00~~

PKG,Continuum™ 350 MIGRunner

951671

New generation of advanced industrial welding solutions improves productivity through weld quality, ease of use and system flexibility.



\$15,617.12

~~\$18,657.80~~

PKG,Continuum™ 500 MIGRunner

951672

All-new power source design smart and powerful digital design has the fast response needed to deliver the most stable welding performance for better welding results. Developed as a platform to meet current and future needs with integrated expansion capabilities.



~~\$21,574.00~~

\$18,058.07

MIG

Continuum™

907636 [350] 907640 [500]

New Weld Processes

Versa-Pulse™ is a fast, low-heat, low-spatter process resulting in faster travel speeds and increased productivity for semi-automated and automated welding. Typically used on thin materials up to 1/4 inch., great for gap filling on sheet metal and tube applications.

High-Deposition MIG offers higher deposition rates than standard spray transfer — resulting in faster welding and increased productivity. Typically used for thicker material and larger welds (6 to 8 mm).



907636 [350]

\$8,407.96

~~\$10,045.00~~

907640 [500]

~~\$12,961.20~~

\$10,848.90

Continuum™ Feeder (Single)

951631



Advanced, industrial wire feeder with Tru-Feed™ technology improves productivity through weld quality, ease of use and system flexibility. Designed for use with a Continuum power source.

New low-inertia motor provides faster response for the best arc starts with the least amount of spatter.

Balanced-pressure drive-roll design and tensioners. Feed wire in its truest and straightest form for better feedability, resulting in better welding performance.

\$4,833.84

~~\$5,775.00~~

MULTIPROCESSOR

XMT® 350 FieldPro™, Dinse®

907730002

Every year, outdated welding equipment can cost you thousands of dollars and hundreds of hours of productive time. Step up to Miller XMT 350 FieldPro systems with ArcReach technology — and improve your bottom line! • Help operators spend more time welding, less time walking • Increase productivity, safety and equipment uptime • Perfect for process pipe, structural welding, pipelines and shipbuilding • Produce exceptional arc performance and weld quality



~~\$7,257.21~~

~~\$8,670.20~~



Pipeworx 350 Fieldpro (TWECO)

907533

Multiprocess Welder, Pipeworx FieldPRO 350, 1 Phase, Input Voltage 240/575, Input (Amps) 14.1/36.1, Rated Output 350A @ 34VDC, 60 Percent, OCV 75, 50/60 Hz, Auto-Line, Superior Arc Performance, Easy to Use, Onsite Pipe Welding, Stick, DC TIG, MIG, RMD, Pulsed MIG, Overall Height (In.) 17, Overall Width (In.) 12, Overall Depth (In.) 22, Includes Power cord

~~\$9,035.60~~

\$7,563.06

Dimension™ 452 230/460/575 V

903255

Designed for heavy industrial welding applications, with 100 percent duty cycle for extended arc-on time.



~~\$8,804.04~~

~~\$10,518.20~~

MULTIPROCESSOR

XMT® 350 CC/CV, Dinse 907161

Portability and excellent arc performance make the XMT family the most popular in the industry. The XMT 350 CC/CV is the most popular model for its flexibility and simplicity.



~~\$6,683.06~~

~~\$7,984.20~~

TIG

Maxstar® 161 STL 120-240 V, X-Case, Contractor Package

907710001

\$100
REBATE



Best of class - Provides maximum portability and performance in the most compact TIG/Stick packages in the industry. Dependability and performance all in one machine.

WHAT'S INCLUDED

- Maxstar® 161 STL
- 6.5 ft. (2 m.) primary cords for 120 V and 240 V
- 13 ft. (4 m.) stick electrode holder with 25 mm. Dinse-style connector
- 10 ft. (3 m.) work clamp with 25 mm. Dinse-style connector
- Adjustable handle/shoulder strap
- 12.5 ft. (3.8 m) Weldcraft™ A-150 TIG torch
- Regulator/flow gauge and gas hose
- AK2C accessory kit
- Protective Miller® X-Case™ (301429)
- Quick Reference Guide

~~\$2,907.80~~

\$2,355.60

TIG

Maxstar® 210 120-480 V 907683

Industry standard - Miller Electric pioneered the Maxstar-type market, now we've perfected it. The Maxstar 210 Series provides a solution for a variety of needs; from simple to fully automated.



\$4,150.66

~~\$4,958.80~~



Dynasty® 210 DX 120-480 V, Foot Control Complete Package 951668

A perfect combination of sophisticated inverter technology and advanced features, offering the most flexible AC/DC TIG/Stick power supply in the welding industry.

~~\$10,570.00~~

\$8,569.33

Syncrowave® 210 TIG MIG Spoolmate™ 150 Package 951684

The easy-to-use Syncrowave® 210 provides legacy arc performance that allows you to expand your capabilities with an all-in-one package.



\$4,110.39

~~\$5,244.40~~

TIG

Dynasty® 400 208-575 V, Foot Control Complete Package

951694

Latest technology - powerful, compact AC/DC inverter delivers superior arc performance with total AC arc-shaping capabilities. Auto-Line™ allows connection to any voltage or frequency in the world while using half the power of a conventional machine.



\$14,747.62

~~\$17,619.00~~

PLASMA

Spectrum® 375 X-TREME™ with XT30 Torch

907529

Cuts up to 3/8 in. mild steel. The unit offers easy connection to 120V or 240V input with Auto-Line technology and MVP Adapters.

WHAT'S INCLUDED

- Spectrum 375 X-TREME
- XT30 hand-held torch with 12-ft. (3.7 m) cable
- Heavy-duty work clamp with 12-ft. (3.7 m) flexible cable
- 10-ft. (3 m) MVP™ power cord
- MVP plugs 5-15P (120 V, 15 A), 6-50P (240 V, 50 A)
- X-CASE provides protection in transport and storage
- Shoulder Strap
- Consumables box with 2 electrodes, 2 tips, deflector, and air fitting



\$2,101.11

~~\$2,594.20~~

PLASMA

Spectrum® 625 X-TREME™ 20-ft. XT40 Quick Connect

907579001

Powerful 40 amps cuts up to 5/8 inch mild steel and weighs only 21 lbs. X-CASE provides ultimate protection during transport and storage.

\$300
REBATE



\$2,964.13

~~\$3,654.00~~

Spectrum® 875 Auto-Line

907584

Compact, 54 lb, multi-voltage (208-575V 1/3PH) unit cuts up to 7/8" mild steel.



\$4,181.21

~~\$5,152.00~~

WIRE FEEDERS



S-74D (Single)

951198

Standard, simple feeder for most heavy-industrial applications providing increased accuracy and control of the most common weld parameters.

~~\$4,390.40~~

\$3,674.89

WIRE FEEDERS



20 Series Wire Feeders

951779

Simple and cost-effective four drive roll wire feeder for industrial manufacturing and fabricating.

~~\$2,340.80~~

\$1,959.32

20 Series Wire Feeders

301499001

Simple and cost-effective four drive roll wire feeder for industrial manufacturing and fabricating.

\$2,663.59

~~\$3,182.20~~



S-74S (Single)

951196

Standard, simple feeder for most heavy-industrial applications.

\$2,620.24

~~\$3,130.40~~



ArcReach® SuitCase® 12, Bernard™ BTB 300

A Gun Pkg

951729

Every year, outdated welding equipment can cost you thousands of dollars and hundreds of hours of productive time. Step up to Miller XMT 350 FieldPro systems with ArcReach technology — and improve your bottom line!

\$3,482.71

~~\$4,160.80~~



WIRE FEEDERS



ArcReach® Smart Feeder, Bernard™
PipeWorx 300 Amp Gun Pkg
951733

ArcReach Smart Feeder system delivers excellent RMD® and Pulse MIG, MIG and Flux-Cored welding up to 200 feet away from the power source with no control cables. This system automatically shifts all controls to the Smart Feeder including weld process selection, material type and wire diameter, gas type, wire feed speed and voltage.

~~\$9,004.80~~

\$7,537.28

ACCESSORIES

Weldmark Digital Helmet

WEM B45

Weldmark Welding Helmet; Series: Pro; Filter: Digital Auto Darkening; Color: Black; Lens Shade: 5 - 13




\$198.00

~~\$224.20~~

Contractor TIG Torch

CK CKC1525VH

Rigid head with valve 1 piece 25ft. Gas cooled
150 amp ACHF or DCSP @100%
7-3/4" (19.6cm) 4-1/2oz (127g)
3 Series Head accessories
Stainless steel head



~~\$384.00~~

\$307.00

ACCESSORIES

Trim Line TIG Torch

C-K TL2125HSF RG

Ridged head 1 piece 25ft.

Gas-Cooled

200amp ACHF or DCSP @100%

8-1/8" (20.6cm) 5oz (141g)

3 series head accessories



~~\$319.00~~

~~\$385.00~~



Magnetic TIG Torch Holder

C-K MTH15

Magnetic base for easy attachment to any metal surface

Attaches vertically or horizontally to fit your need


Protects torch and consumables

~~\$39.00~~

~~\$29.95~~

Light Duty Flowmeter Regulator

WEM-FLOWMTRLD



~~\$62.40~~

~~\$78.00~~

ACCESSORIES

TIG Stick Out

CK TG1

The CK tungsten stick out gauge helps the user set the correct tungsten tip length. Setting the correct tip length ensures a consistent quality to every weld. This gauge eliminates tungsten contamination by keeping the tungsten in the gas stream and prevents undue stress on the ceramic gas nozzle.

The stick out gauge is used by loosening the knurled lock nut, then turning the threaded gauge to desired depth (1/16" increments). Simply lock the gauge by turning the knurled lock nut firmly back against the gauge body.



Features

- 1/16" (1.6mm) Markings
- Knurled Lock Nut
- Threaded Gauge Rod
- Keyring and Carabiner Attachment

\$36.00

Regulator Acetylene

WEM-AREGMD



\$68.00

\$85.00

Regulator Oxygen

WEM-OREGMD



\$85.00

\$68.00

ACCESSORIES

Revco 850L Glove

REV-850L



PREMIUM GRAIN ELKSKIN

Constructed of Black Stallion® elkskin leather -extra-thick for superior heat, flame, and abrasion resistance

FEATURES & BENEFITS

- Premium grain elkskin leather provides superior comfort with natural insulation
- Dupont® Nomex lined back offers extra fire-resistant protection
- Reversed grain palm provides a softer feel against the hand with improved grip
- Thumb strap provides extra reinforcement in a key stress area
- Kevlar® stitching provides spark and abrasion resistance

\$29.99

~~\$39.95~~

Welding Table

VAL-TS3020

The Nomad Economy Welding Table is engineered to provide a safe, transportable, affordable, and versatile welding surface.

Three 1.1" (28mm) slots in the tabletop allow for insertion of clamps to reach any point on the table.

Tabletop tilts to three positions: Horizontal, 30°, and folded for mobility.

Two retractable, perpendicular steel guide rails can be used as guides, stops, or clamping edges.

Tabletop height can be adjusted from 26" to 32" (660 – 810 mm).

Table moves about the work area on 2 sturdy casters.



\$235.11

ACCESSORIES

Walter Ceramic Spray

WAL-53F912

Extend the life of welding nozzles and reduce downtime spent scraping out spatter with E-WELD Nozzle. This highly concentrated anti-spatter evenly coats the exterior and interior surface of your welding nozzle to prevent spatter from adhering to the nozzle. This prevents obstructions and allows the gas to flow freely, resulting in a higher quality weld. This is an extremely economical solution, as the easy applicator dispenses a thin layer that can provide protection for up to 8 hours. This is an ideal solution for MIG welding, plasma cutting and laser cutting as the E-WELD Nozzle can withstand high temperatures (up to 1832° F) and reduce your consumable spend.



\$52.70

Bessey Ground Clamp

BES-TP1K

With malleable cast iron arms Tommy bar with rounded ends for simple transfer of force when clamping Grounding connection hole in the upper part



\$37.50

Miller Safety Glasses

MIL-272187



Optimal eye coverage with increased comfort and style.

\$5.60

ACCESSORIES

Bessey Magnetic Ground

BES-MGC1 [250 amp]

BES-MGC2 [800 amp]

Quality magnetic square for easy set ups
Size of magnet approx. 3.5 In x 2 In



MGC-1 **\$39.75**



MGC-2 **\$45.74**

FLAMETECH 48" Torch-Fuel

FLM-6248F70

Flame Tech 8600 Series 48" Heavy Duty Cutting Torch with 70 deg solid bronze head with support tube has a cutting capacity of 36" and is designed for use with alternative fuel gas. Cutting torch uses TRI or BI-METAL designed nozzles and is sui for heavy cutting in scrap yards as well steel mill operations. Multi-tasking cutting torch featuring three stainless tubes in triangular format has knurled brass handle for long lasting durability. Cutting torch uses common C-size oxygen supply and B-size fuel supply to minimize the hose and regulator requirements. Cutting torch is easy to operate and provides maximum strength, greater rigidity with less maintenance. Cutting torch with reduced flashback features single lever actuated torch control and is ideal for rugged environments.

Product Attributes

- Apparatus Type-Torch
- Fuel Gas-Alternate Fuels
- Cutting Capacity-36"
- Workload-Heavy Duty
- Length-48"
- Torch Head -70
- Cutting Lever Location-Top
- Use With-8600 Series Torches
- Uses Tip Series-BM80-TM80
- Fitting Type-B Fuel-C Oxygen



TRADE IN YOUR OLD TORCH FOR 20% OFF

\$523.55