

# **SHOP ESSENTIALS PROMOTION!**



### COMBUSTIBLE GAS DETECTOR

- Following is a partial list of the more common gases detected: natural gas, propane, butane, methane, acetone, alcohol, ammonia, steam, carbon monoxide, gasoline, jet fuel, hydrogen sulfide, smoke, industrial solvents, lacquer thinner, naphtha Audible and visible alarms
  - Low power semi-conductor sensor

• Includes: Soft carrying case and batteries

		REED
Model	MFG	Promo
No.	No.	Price
IA394	R9300	129.00

### ADJUSTABLE WRENCHES

- Superior grade chrome vanadium steel
- Precision-machined jaws
- Slim profile head slips into cramped quarters
- Tight tolerances ensure close fitting, wobble-free action
- Smooth, non-sticking mechanism
- Plain handle

**TLV360** 

- Black nickel finish resists rust
- Meets ANSI standards
- Jaw Type: Standard



## auroratools

Model	Max. Jaw		Promo	ENTE	RPRISES		
No.	Width"	Length"	Price	Model	MFG	Promo	
TJZ104	1-3/4	15	41.95	No.	No.	Price	2-T
TJZ105	2-1/4	18	74.99	312-4904	WB-101	110.00	8

89.00

Pricing in effect until December 27, 2019 or while quantities last. Taxes and freight extra. Prices are subject to change, and may vary without prior notice. Issue #SDW219102NA

### HOTSPOTTER ALL-PURPOSE PROPANE TORCH KIT

- Works off the pressure of a propane tank, no regulator required
- Heavy-duty kit with durable cast iron and steel nozzle

REED

- 500000 BTU rating
- Ideal for a wide variety of all-season maintenance/repair applications
- Includes: 10' neoprene hose, striker and on/off valve

WES	TERN APRISES		
1odel Io.	MFG No.	Promo Price	and the
12-4904	WB-101	110.00	

### **CHIPPING HAMMER**

- Cone and chisel head
- Spring steel handle
- Handle Type: Solid Steel
- Overall Length: 10-1/2"
- Head Length: 6-1/4"



No.	Price
Model No.	Promo Price

### ER70S6 CARBON STEEL WELDING WIRE

- Highest combination of manganese and silicone deoxidizers
- Permits high current welding with CO<sub>2</sub> gas shielding
- Can also be applied with ArCO<sub>2</sub>
- Good for out-of-position welding using short circuiting transfer
- Layer/level wound wire

WELD

- Certified by CWB to CSA class W48 for ER49S-6
- Certified by AWS to class A5.18 for ER70S6



Wire Diameter'' 0.023 0.030	Spool Wt. 2 lbs./0,9 kg	Spools per Master Box 18	Promo Price 5.99/Spool
		18	5 99/Spool
0.030			3.7775p001
	2 lbs./0.9 kg	18	3.99/Spool
0.035	2 lbs./0.9 kg	18	3.99/Spool
0.045	2 lbs./0.9 kg	18	3.85/Spool
0.023	11 lbs./5 kg	4	25.90/Spool
0.030	11 lbs./5 kg	4	17.50/Spool
0.035	11 lbs./5 kg	4	16.90/Spool
0.023	33 lbs./15 kg	1	69.50/Spool
0.030	33 lbs./15 kg	1	47.90/Spool
	0.045 0.023 0.030 0.035 0.023	0.045         2 lbs./0.9 kg           0.023         11 lbs./5 kg           0.030         11 lbs./5 kg           0.035         11 lbs./5 kg           0.023         33 lbs./15 kg	0.045         2 lbs./0.9 kg         18           0.023         11 lbs./5 kg         4           0.030         11 lbs./5 kg         4           0.035         11 lbs./5 kg         4           0.023         33 lbs./15 kg         1

## MAGNETIC HOLDERS

- Multi-purpose holders for assembly and positioning
- Adheres to any metal object
- Ideal for welding, soldering, assembly and pipe installation





Model No.	Description		D	imensi	ons"	1	Promo Price
NT626	Medium	5	х	3-1/4	х	1/2	2.75
NT627	Large	6-1/4	х	4	х	3/4	4.75
NT628	X-Large	8	х	5	х	1	6.75



### AIR CARBON ARC GOUGING ELECTRODES

 Consistent copper coating DCCC
 Used for gouging out defective welds and cutting non-ferrous metals
 Length: 12"

• Sold per package

WELD MATE

NT642

Model No.	Diameter"	Qty /Pkg.	Promo Price
NT632	5/32	100	21.50/Pkg.
NT633	3/16	50	12.95/Pkg.
NT634	1/4	50	16.25/Pkg.
NT635	5/16	50	19.60/Pkg.
NT636	3/8	50	28.95/Pkg.
NT637	1/2	50	53.75/Pkg.

### FLINT LIGHTERS


- Choice of single or tri-flint lighters
- Additional flints sold separately



Model No.	Description	Promo Price
NT642	Single Flint Lighter	2.65
NT663	Flints, 5 per Holder	1.75
TTU071	Tri-Flint Lighter	3.24
TTU072	Flints - Each	0.85

### **PYTHONRAP<sup>™</sup> CABLE COVER**






### STEELWORKER® CLASSIC WELDING & CUTTING OUTFIT W/TOOL BAG

Torch features solid forged head, brazed triangular tube design, ease-on cutting valve and protected torch union
 Welds up to 1/2" and cuts up to 5" with larger tips
 Includes: Torch handle (85), mixer (D-85), cutting attachment (72-3), cutting tip

(6290-1AC), welding tip (23A90-5), single stage 0-100 PSIG oxygen regulator, single stage 0-15 PSIG fuel gas regulator, 20' x 3/16" hose, goggles and striker

Model No.	MFG No.	Promo Price
TTU521	4403224	529.00





### **SOAPSTONES & HOLDERS**

- All-metal construction holders
- Positive lock adjustment

Mod No. TTT8

- Each holder comes with one soapstone
- 144 white soapstones per box



Model No.		
NT639	Flat Soapstone Holder	2.79/Ea.
NT225	Flat Soapstone - 144 Pieces	25.25/Box
NT638	Round Soapstone Holder	2.95/Ea.
NT226	Round Soapstone - 144 Pieces	22.75/Box

### LIGHT/MEDIUM DUTY TOTE-A-TORCH OUTFIT

• For use in general repair, maintenance and HVAC applications • Can weld up to 3/16" and cut up to 1/2" • Rear entry regulators provide better balance • Acetylene regulator has an MC CGA200 inlet connection; oxygen regulator has standard CGA540 connection • Includes: Torch handle with check valve, Cutting attachment, Oxygen/acetylene regulators with 2" double-scale gauges, Cutting tip, Welding nozzle, 12.5' twin hose, Goggles, Striker, Tank wrench, Cylinders, Polypropylene carrier 0 **PROWELD** 

	GENTEC
	Promo Price
72-PTC	699.00
	MFG No. 72-PTC

### WELDING HOSE REELS

- Heavy-duty, reinforced steel stampings for increased strength
- 1/4" oxygen and acetylene twin hose
- Leakproof double O-ring seals
- Kinkless, oil resistant high quality grade R hose
- Drive type: Spring
- Max. PSI: 300

PB090

Oxygen/acetylene inlet and outlet: 9/16" x 18 UNF (F)

# **TLZ487**

### auroratools.

Model	Hose	Dimensions	Promo
No.	Length'	W" x D" x H"	Price
TLZ487	25	8 x 14-3/4 x 13-5/8	125.00
TLZ488	50	85/8 x 20-1/2 x 20-1/2	169.00

### **TULINE TWIN WELDING HOSE ASSEMBLIES**

• Premium quality US made hose with B size brass fittings • Nominal I.D.: 1/4"

# HBD/Thermoid, Inc.

Model No.	MFG No.	Length'	Promo Price
GRADE R			
PB090	00521484225	25	39.95
PB091	00521484250	50	69.00
PB092	00521484290	100	129.00
GRADE T			
PB069	00521584225	25	64.75
PB070	00521584250	50	117.00
PB071	00521584290	100	215.00

### HEAVY-DUTY "C-STYLE" **GROUND CLAMP**

- C-type jaws are adjusted by screw lever
- Rubber insulated cable connector



WELD MATE



Model	Promo
No.	Price
NT665	39.95

### SPIRAL TIP CLEANERS

- Quality aluminum case
- Cleaning data on back of case
- Includes hardened steel file

	NT641
Model	No. of

No.	Description	Cleaners	Price
NT641	Standard Set	12	2.29
TTV223	King Set	13	2.19

Promo



Model No.	MFG No.	Description	Promo Price
312-4276	QDB10	Torch-to-Hose	59.95
312-4280	QDB20	Hose-to-Hose	63.50
312-4284	QDB30	Regulator-to-Hose	63.50

## FLASHBACK ARRESTORS

- Color-coded for gas service to provide added safety - oxygen (green), fuel gas (red)
- Internal check valves designed to prevent reverse flow and accidental mixing of oxygen and fuel gases
- Maximum operating pressures are 15 PSIG for acetylene, 22 PSIG for other fuel gases and 125 PSIG for oxygen
- Rated capacity of 40 SCFH with a 5 PSIG pressure drop
- 10" maximum cutting capacity
- UL listed and 100% tested



Model No.	MFG No.	Connection Type	Components	Promo Price
312-3376	FA-10	Torch	FA-100P, FA-200P	59.00
312-3377	FA-30	Regulator Adaptor	FA-130P, FA-230P	64.95

### COMBOFRAME ADJUSTABLE MODULAR WELDING SCREENS

### FRAMES

- High durability with extreme versatility
- Includes 360° swivel connectors that allow various configurations
- Easy assembly, no tools required

### LAVASHIELD<sup>™</sup> CURTAINS

- Specially formulated 16-mil thick vinyl
- NT894 and NT895: 25-mil thick cotton duck canvas
- Grommets every 12" (30.5 cm) interval
- Screen edges are hemmed with DuPont<sup>®</sup> Kevlar<sup>®</sup> stitching
- Resists UV rays, flame and abrasion

### FRAMES ONLY

Model No.	Description	Promo Price
NT834	Modular Frame, Adjustable Width 6' or 8'	81.99

Yellow	Orange	Green	Olive
100			

LAVASHIELD™ CURTAINS & FRAMES							
Model No.	w'	Dim x	Н'	UV Resistance	Colour	Promo Price	
HIGH TRAN	<b>ISPAR</b>	ENC	Y				
NT888	6	х	6	Moderate	Yellow	110.89	
NT889	8	х	6	Moderate	Yellow	118.29	
NT890	6	х	6	Moderate	Orange	110.89	
NT891	8	х	6	Moderate	Orange	118.29	
MODERATE	TRAN						
NT892	6	х	6	Moderate	Green	110.89	
NT893	8	х	6	Moderate	Green	118.29	
OPAQUE T	OPAQUE TRANSPARENCY						
NT894	6	х	6	Maximum	Olive	155.99	
NT895	8	х	6	Maximum	Olive	174.99	

### **OPTIONAL CASTERS**

Model No.	Description	Promo Price
SEB618*	2" Rubber Caster with Brake	4.59
* Sold individu	ally, two casters required per frame's foot	



### LAVASHIELD™ WELDING BLANKETS

2 screens shown,

sold per screen

- Double-locked stitched Kevlar® thread hemmed on all sides
- Large brass grommets for extra
- durability and easy handling • Black 24-oz. fibreglass coated
- with neoprene on both sides
  Temperature resistant: 1000°F (538°C)

Model	Dimensions	Promo
No.	W'x L'	Price
NT896	6 x 6	74.99
NT821	6 x 8	98.89

### WELDSAFE® NO. 447 ANTI-FATIGUE MATS

- Designed specifically for welding
- Repels sparks and hot metal shardsBuoyant sponge base
- alleviates leg and back stress
  Bevelled edges and
- Beveiled edges and pebbled surface for safety and extra traction
- 9/16" thick
- 4-year warranty



WEARWELL				
MFG	Dimensions	Promo		
No.	W' x L'	Price		
447.916X2X3BK	2 x 3	69.00		
447.916X3X5BK	3 x 5	179.00		
	MFG No. 447.916X2X3BK	MFG         Dimensions           No.         W' x L'           447.916X2X3BK         2 x 3		

 $\sum_{i=1}^{n}$ 

### GAS CYLINDER CABINETS

- 2" x 2" 10-gauge formed steel angle posts
- 9-gauge wire mesh doors and walls for venting
- 14-gauge checker plate shelves and roof
- Padlock hasp for added security
- Innovative door design allows for left or right opening installation
- English and French warning labels included

Constructed to meet or exceed strict CSA International B149.2-00 Propane Storage and Handling Code. Cylinders must be stored vertically

at all times.





ETON

SAF847

Model No.	ו W"		nensi D"		H"	Cylinder Capacity	Promo Price
FOR 35-LB. LIQUID PROPANE CYLINDERS							
SEB837**	30	х	17	х	37	2	401.00
SEB838**	17	х	17	х	69	2	479.00
SAF836	44	х	30	х	37	6	819.00
SAF847	44	х	30	х	74	12	999.00
FOR 9" DIAMETER GAS CYLINDER BOTTLES							
SAF837	44	х	30	х	74	10	999.00
SAF848*	88	х	30	х	74	20	1649.00

\*Consists of two units of the SAF837

\*\* All-welded, fully assembled

### **DEERSKIN TIG WELDERS' GLOVES**

- Standard quality split deerskin leather construction
- Designed for precision welding applications
- Superior fit and dexterity
- 4" gauntlet cuff for superior protection
- Sewn with DuPont<sup>®</sup> Kevlar<sup>®</sup> thread for higher seam strength and seam flame resistance

Model No.	Size	Promo Price
SM597	Small	10.99/Pair
SM598	Medium	11.29/Pair
SM599	Large	11.49/Pair
SM600	X-Large	11.89/Pair
SAP293	2X-Large	12.69/Pair



### PREMIUM QUALITY WELDERS' GLOVES





### LAVA BROWN LEATHER JACKETS

• Designed to allow complete body movement and freedom • Heat and flame resistant leather is made from durable side split cowhide

• Double-lock stitched seams Roll-up collar stops shooting spatter

• Includes: Full-sized pocket and multiple-snap adjustment cuffs

Model No.	Size	Chest Measurements"	Promo Price
TTU398	Medium	40-42	116.99
TTU399	Large	44-46	116.99
TTU400	X-Large	48-50	116.99
TTU401	2X-Large	52-54	127.99
TTU402	3X-Large	56-58	137.99
TTU403	5X-Large	64-66	159.99

### LAVA BROWN LEATHER SPATS

- Heat and flame-resistant leather is made from durable side split cowhide
- Designed to allow even weight distribution on the user to reduce fatigue

TTU390



TTT954

Model		Promo
No.	Length	Price
TTU390	6"	21.99/Pair
TTU391	14"	49.89/Pair

## **V90 SHIELD\* GOGGLES**

• Features the Monogoggle\* XTR\* with indirect ventilation and a polycarbonate shield for full face protection • Shield detaches from the goggles

- face offering added protection
  - Can be used over most
    - prescription eyeglasses
  - Meets ANSI impact standard Z87.1+



### KleenGuard

Model No.	MFG No.	Description	Promo Price
TTT954	18629	Clear Anti-Fog	18.35
TTT955	18631	Shade 3.0 Anti-Fog	24.25
TTT956	18633	Shade 5.0 Anti-Fog	24.25

### **JACKSON SAFETY\* WH40 NITRO\*** VARIABLE ADF WELDING HELMET

- Offers welders outstanding features at an economical price point
- Variable shade 9-13, sensitivity and delay adjustments
- Lightweight Only weighs 1 pound fully assembled
- Three independent sensors
- Meets ANSI standard Z87.1 and compliant with CSA standard Z94.3
- Colour: Blue



SAFETY Brond			
Model No.	MFG No.	Promo Price	
SAS083	21931	119.99	

-		
5		

- Curved face shield conforms to shape of •
  - Band Type: Neoprene



### **Z100 SERIES EYEWEAR**

- Traditional design with integral sideshields
- Scratch-resistant polycarbonate lens with UV protection .
- Extendable and ratchet temple provides . superior comfort and fit
- Molded-in nose bridge
- Distortion-free
- Lens Tint: Clear
- Frame Colour: Black

Model No.	Standard(s) Met	Promo Price
ANTI-SCRATCH		
SEH642	CSA Z94.3	2.50
ANTI-FOG/ANTI-SCRA	ТСН	
SGF244	ANSI Z87+, CSA Z94.3	2.85



### PURA-FIT<sup>®</sup> PLUGSTATION<sup>®</sup> EARPLUG DISPENSERS

• Gives workers easy access to hearing protection • Affordable enough to be placed

ZENTH

- near every work area
  - Clicking mechanism for easier use and dispensing
- Chute delivers plugs right into the palm of your hand • Each dispenser is sealed and

disposable plus completely recyclable Mounting bracket with hardware

- included with every PlugStation®
  - NRR dB: 33

### MOLDEX

Model No.	MFG No.	Description	Pairs /Dispenser	Promo Price
SDL454	6882	Corded	150	51.25
SE847	6844	Uncorded	250	43.95
SF624	6845	Uncorded	500	84.95

SF624

### 2300 N95 PARTICULATE RESPIRATORS

- Exhale valve reduces hot air build up
- Dura-Mesh<sup>®</sup> shell resists collapsing
- Molded nose bridge seals easily ٠ without a metal nose band
- Soft foam nose cushion
- Style: Cup •
- NIOSH approved N95
- 10 respirators per box



### MOLDEX

Model No.	MFG No.	Description	Promo Price
SE850	2301N95	Small	27.95
SE849	2300N95	Medium/Large	27.95
SE851	2307N95	Low Profile	27.95

### 9000 FULL FACEPIECE RESPIRATORS



9003

Medium

Large

138.00

### 7000/9000 SERIES **PARTICULATE FILTERS & RETAINERS**

SEC569



### **HOSE REELS**

- For use with air and water
- Multi-position guide arm for multiple mounting options
- Kinkless, oil resistant high quality hose
- 300 maximum PSI



# auroratools

Model No.	Hose I.D."	Hose Outlet" (M) NPT	Hose Length'	Promo Price
TLZ482	1/4	1/4	35	159.00
TLZ483	3/8	1/4	25	169.00
TLZ484	3/8	1/4	35	199.00
TLZ485	3/8	1/4	50	269.00
TLZ486	1/2	1/2	50	279.00

### **5" PNEUMATIC ANGLE GRINDER**

- 10000 RPM
- 5 CFM
- 1/4"-18 NPT air inlet
- 3/8" hose size



### auroratools

Model	Promo
No.	Price
THZ674	165.75

## 1/4" PNEUMATIC DIE GRINDERS

- Twin bearing spindle
- 1/4"-18 NPT air inlet
- 3/8" hose size

THZ678



## auroratools

THZ679

Model No.	Description	RPM	НР	Promo Price
THZ678	Mini	25000	0.35	59.95
THZ679	Angle	18000	0.45	72.50

### **HEAVY-DUTY AIR COMPOSITE IMPACT WRENCHES**

- Lightweight composite design minimizes operator fatigue
- Ergonomic grip reduces vibration • Exhaust air outlet directs
- air away from operator
- Forward-reverse switch and high-low speed regulator
- Free speed: 10000 RPM
- Hose diameter: 3/8" (9.5 mm)
- Air inlet: 1/4" 18 NPT



# auroratools

Model No.	Average Air Consumption CFM	Torque Range ft-lbs.	Promo Price		
3/8" SQUAR	E DRIVE				
TLZ137	10.6	90-280	219.00		
1/2" SQUARE DRIVE					
TLZ138	13.7	400-1000	307.75		

### 1/4" AIR SCREWDRIVER

- 1/4"-18 NPT air inlet, 6 CFM
- 1800 RPM; 0.5 HP
- Torque range: 45-115 ft-lbs.
- 3/8" hose size



# auroratools

Model	Promo
No.	Price
TLV495	129.00

3" AIR CUT-O • 21 000 RPM; 0.45 H • 3 CFM • 1/4"-18 NPT air inle • 3/8" hose size	IP et
	C
auroratool	U Contraction of the second se
Model No.	Promo Price

### 6-PIECE COLD CHISEL SET

• Individually forged from high quality alloy steel

Promo

Price

35.15

- Manufactured to the highest safety standards
- Precisely ground cutting edge • is induction hardened to 52-58 HRC
- Striking head is hardened to 42 HRC to prevent splintering during use
- Includes: 1/4", 5/16", 3/8", 1/2", 5/8" and 3/4"

auroratools


Model

**TLZ420** 

No.



## DUAL FOOT INFLATOR GAUGE



• 12" hose For uses on motor homes and other vehicles with smaller dual wheels • Nitrogen compatible • Pressure Range: 10.0 to 160.0 PSI • Increments: 2 psi

### TOPRING

**TYP485** 

41.49

33.29

Model	MFG	Promo
No.	No.	Price
TGA457	63.658C	66.95

### **PRY BARS**

- Forged from premium alloy steel
- Corrosion resistant
- Heat-treated for maximum durability
- High visibility, oil and solvent resistant acetate handle
- Limited lifetime warranty

MFG

73518

73513

No.

Width: 1-1/4"

Model

**TYP481** 

**TYP485** 

**TYP487** 

**TYP486** 

No.

• Width of cut: 5/8"

### GRAY TOOLS C3 Shank Overall Promo Size" Length" Price

24-1/4

18-1/4

**TYP481** 

### NICKEL PLATE FINISH 1/2 73418 24-1/4 41.49 **BLACK OXIDE FINISH** 73508 3/8 13 30.49

1/2

3/8

# 4-1/2" SMALL ANGLE GRINDER

- Provides maximum performance and durability
- Electronic clutch extends tool life and prevents bind-up
- Easily change all accessories without a wrench
- Provides quick guard installations and adjustments
- Includes: (1) 11 AMP 4-1/2" small angle grinder paddle no-lock, (1) contractor bag, (1) flange, (1) grinding wheel, (1) side handle, (1) spanner wrench, (1) type 27 guard
- Voltage: 120 V
- Amps: 11 A •
- No Load RPM: 12 000
- Spindle Size: 5/8"-11
- Tool Warranty: 5 years •

DEED CIT BAND CAW



Model	MFG	Promo
No.	No.	Price
TYX084	6141-31	145.00

<ul> <li>Variable sp and 2-fing.</li> <li>Adjustable</li> <li>Includes: 0</li> <li>Surface Fe</li> <li>Cutting Ca</li> </ul>	SA	
Model No.	MFG No.	Promo Price
TLV447	6232-21	399.00
<b>BI-META</b> • Thickness: • Material: B	0.020" i-Metal	V BLADE 44-7/8"
Model No. VF790	MFG No. 48-39-0510	Promo Price 12.49

### **A097 SERIES JOBBER DRILL SETS**

- TiN coated tip that increases surface hardness and improves tool life
- Low thrust design with self centering split point that makes for easier penetration
- Material: High Speed Steel
- Manufacturing Standards: ANSI
- ٠ Point Angle: 118°
- Cutting Direction: Right Hand
- Case Included
- Note: Sizes 47 to 60 and 1/16" to 5/64" have no split point or TiN tip



**TCP405** 

Model No.	MFG No.	No. of Pieces	Sizes	Promo Price
TCP405	0574317	29	1/16" to 1/2" by 1/64"	179.99
TCP406	0574348	15	1/16" to 1/2" by 1/32"	99.99
TCP407	0574355	13	1/16" to 1/4" by 1/64"	37.99
TCP408	0574324	60	1 to 60	139.99
TCP409	0574331	26	A to Z	198.99
TCP410	05743 <b>62</b>	115	A to Z, 1 to 60, 1/16" to 1/2" by 1/64"	549.99

### HOLE DOZER™ HOLE SAW KITS

### **BLUE WIZARD TAP & DRILL SETS**

- Includes corresponding drill bits
- Spiral point NC Taps with matching drills
- Premium high speed steel



### CLARKSON 52 OSBORN

NC (Nation BG080 c		NF (Natio BG078 o		Met BG079 c	
TAP	DRILL	TAP	DRILL	TAP (mm)	DRILL (mm)
#6-32	#36	#6-40	#33	2.5 x 0.45	2.05
#8-32	#29	#8-36	#29	3.0 x 0.5	2.5
#10-32	#21	#10-32	#21	3.5 x 0.6	2.9
#12-24	#16	#12-28	#15	4.0 x 0.7	3.3
1/4-20	#7	1/4-28	#3	5.0 x 0.8	4.2
5/16-18	F	5/16-24	#1	6.0 x 1	5
3/8-16	5/16	3/8-24	Q	8.0 x 1.25	6.7
7/16-14	U	7/16	25/64	10.0 x 1.5	8.5
1/2-13	27/64	1/2-20	29/64	12 x 1.75	10
		1		1	

BG080

MFG No.	Description	Promo Price
DR06899	NC (National Coarse)	144.99
DR06818	NF (National Fine)	144.99
DR06895	Metric	164.99
	No. DR06899 DR06818	No.DescriptionDR06899NC (National Coarse)DR06818NF (National Fine)

### 8 PIECE SOLID CARBIDE BURR SET

- 1/4" Shank with double cut head
  - Trade No.: SA-5/SC-3/SC-5/ SD-5/SF-3/SF-5/SG-3/SL-4

CLARKSON 52 OSBORN

Promo Price

249.99



Gen

All Purp

	No. of	Promo			
escription	Pieces	Price	Model	MFG	
eral Purpose	15	154.99	No.	No.	
ose Professional	28	369.99	BL445	SC90801	

### STEP DRILLS

49-22-4175

49-22-4185

- High speed steel
- Bright finish

**TBO157** 

**TBO165** 

- Point Angle: 135° •
- Applications: Stepped cone design provides better control of hole sizes in materials up to 1/8" thick. One step drill does job of up to 13 . different size drills. Holes are automatically deburred by cutting edge of next larger size. Ideal for sheet metal and hole-enlarging work.

CLARKSON 52 OSBORN

Model No.	MFG No.	Min. Drill Size''	Max. Drill Size''	Drill Increment"	Shank Size''	Range"	Size	No. of Holes	Promo Price
TJZ795	DR70001	1/8	1/2	1/32	1/4	1/8 to 1/2	#1	13	21.49
TJZ796	DR70002	3/16	1/2	1/16	1/4	3/16 to 1/2	#2	6	19.99
TJZ797	DR70003	1/4	3/4	1/16	3/8	1/4 to 3/4	#3	9	35.99
TJZ798	DR70004	3/16	7/8	1/16	3/8	3/16 to 7/8	#4	12	24.49
TJZ799	DR70005	1/4	3/8	1/8	1/2	1/4 to 1 3/8	#5	10	42.49



### SCOTCH-BRITE<sup>™</sup> HAND PADS

 Excellent products for hand finishing, polishing, cleaning, blending, deburring of wood, metals and composites

BP486

blending, deburring of wood, metals and composites • Ideal for wood finishing, paint

preparation and general cleaning • 6" x 9" sheets

• Can be used dry or with water or solvents

**CRESCENT** 

icholson us

NICHOLSON

Model No.	MFG No.	Grit	Colour	Qty /Box	Promo Price
BP486	SB18451	Coarse	Tan	40	3.09/Pad
BP482	SB18453	Medium	Grey	40	2.09/Pad
BP484	SB04029	Very Fine	Maroon	60	0.99/Pad
BP492	SB14049	Ultra Fine	Light Grey	60	0.99/Pad
BP488	SB17637	Cleaning	White	60	1.29/Pad
NC871	H-96-6X9	Scouring	Green	60	0.95/Pad

### **MACHINIST FILE SET**

- Complete set of 7 files and file cleaner (card) fits easily and securely into a rugged, compact pouch
- Includes:
- 10"/250 mm mill bastard file 10"/250 mm half-round bastard file
- 10"/250 mm flat bastard file 10"/250 mm flat smooth file
- 10"/250 mm square bastard file
- 10"/250 mm round bastard file
- 7"/175 mm slim taper file
- 10"/250 mm file cleaner (card)

Model	MFG	Promo
No.	No.	Price
QH790	22025NN	149.99

### 3M<sup>™</sup> SILVER CUT-OFF WHEELS

- Ceramic cut-off wheel that is designed to cut quickly through all types of metals
- Optimized for use on carbon steel and stainless steel
- 3M<sup>™</sup> Precision-Shaped Ceramic Grain cuts fast and cool
- No plowing



Model No.	MFG No.	Dia."	Thickness"	Arbor Size''	Max. RPM	Promo Price
TYPE 1						
NV195	AB87457	3	0.035	1/4	25465	1.79
NV196	AB87458	3	0.035	3/8	25465	1.79
NV197	AB87459	3	0.060	3/8	25465	1.79
NV198	AB87460	4	0.035	1/4	19 100	1.49
NV199	AB87461	4	0.035	3/8	19 100	1.99
NV200	AB87463	4	0.050	3/8	19100	1.99
NV201	AB87462	4	0.060	3/8	19 100	1.99
NV202	AB87464	4-1/2	0.040	7/8	13300	2.39
NV203	AB87465	4-1/2	0.045	7/8	13 300	2.39
NV204	AB87467	5	0.045	7/8	12250	2.75
NV205	AB87469	6	0.045	7/8	10200	4.15
NV206	AB87471	7	0.045	7/8	8500	4.79
<b>TYPE 27</b>						
NV207	AB87466	4-1/2	0.045	7/8	13300	2.39
NV208	AB87468	5	0.045	7/8	12250	2.75
NV209	AB87470	6	0.045	7/8	10200	4.15



### Model Promo No. **Bristles** Rows Price LONG HANDLE BRUSHES **Carbon Steel** NT607 2.39 3 x 19 NT608 **Carbon Steel** 4 x 19 2.89 NT611 **Stainless Steel** 3 x 19 3.59 NT612 **Stainless Steel** 4 x 19 4.29 SHOE HANDLE BRUSHES NT609 **Carbon Steel** 2.35 3 x 16 NT610 **Carbon Steel** 4 x 16 2.45 NT613 **Stainless Steel** 3 x 16 4.35 NT614 Stainless Steel 4 x 16 4.59 TOOTHBRUSH CLEANING BRUSH 1.09 NT615 **Stainless Steel** 3 x 7

TROFT



STANDARD 2 IN 1 FLAP DISC WHEELS

> Standard aggressive fiber backed Zirconium
>  High removal rate
>  Comfortable with minimal load requirement
>  For use on steel & stainless steel
>  Arbor Size: 7/8"
>  Type: 29
>  Manufacturer Series:

INDUSTRIAL-DUTY SCRATCH BRUSHES

Wood handle

• Choice of carbon or

stainless steel bristles

 Manufacturer Series: Standard 2 Star 2 in 1 wheel

Model No.	MFG No.	Grit	Dia."	Max. RPM	Prix promo
NU423	572473	40	4-1/2	13 300	3.45
NU424	454393	60	4-1/2	13 300	3.39
NU425	455312	80	4-1/2	13 300	3.39
NU426	824385	40	5	12250	4.09
NU427	455303	60	5	12250	4.09
NU428	458587	80	5	12250	4.09

### 3M<sup>™</sup> SILVER GRINDING WHEELS

- Ceramic grinding wheel that is designed to grind quickly through all types of metals
- Optimized for use on carbon steel and stainless steel
- 3M<sup>™</sup> Precision-Shaped Ceramic Grain grinds fast and cool
- No plowing
- Thickness: 1/4"
- Type: 27

Model No.	MFG No.	Dia."	Arbor Size''	Max. RPM	Promo Price
NV210	AB87455	4	3/8	15300	2.99
NV211	AB87456	4	5/8	15 300	2.99
NV212	AB87453	4-1/2	7/8	13 300	3.19
NV213	AB87454	5	7/8	12250	3.39
NV214	AB87450	6	7/8	10200	6.79
NV215	AB87451	7	7/8	8500	7.59
NV216	AB87452	9	7/8	6650	11.39



### **10-PC. INSULATED TOOL SET**

- Voltage Rating: 1000 V
- Meets the VDE insulated quality standard
- Included:

Slotted Screwdriver 7/32" x 5" Slotted Screwdriver 5/32" x 4" Slotted Screwdriver 3/32" x 3" Phillips<sup>®</sup> Screwdriver #1 x 3-1/8" Phillips<sup>®</sup> Screwdriver #2 x 4" Pozidriv<sup>®</sup> Screwdriver #1 x 3-1/8" Pozidriv<sup>®</sup> Screwdriver #2 x 4" Lineman Plier, 6" Long Nose Plier, 6" Side Cutting Pliers, 6"



# auroratools

Model	Promo
No.	Price
ТҮР305	105.00

### CONTROL SERIES TAPE MEASURES

- New design gives users maximum control when extending and retracting the tape blade
- The Drag Strip<sup>™</sup> access opening on the bottom of the tape allows users to regulate blade feed and return with their fingertip for greater control
- 10' stand-out capacity and extra-wide end hook make this tape perfect for the toughest jobs
- Stud Markings: 16/19.2"

### HOLD DOWN CLAMPS · Commonly used clamps in manufacturing

- Perfect for holding work pieces in place
- Durable steel construction
- Includes bonded neoprene-tipped spindle and flanged washers
- Open arm provides adjustable spindle location

**TLV628** 

E" E	Base x	e W"	Holding Cap. lbs	Promo Price
1	х	1-3/4	200	10.50
1-13/16	х	1-7/16	375	11.30
1-7/8	х	2-1/2	600	13.95
1-7/16	х	1-7/16	200	9.95
1-3/8	х	1-1/2	500	11.30
	L" 1 1-13/16 1-7/8 1-7/16	L" x 1 x 1-13/16 x 1-7/8 x 1-7/16 x	Base         W"           1         x         1-3/4           1-13/16         x         1-7/16           1-7/8         x         2-1/2           1-7/16         x         1-7/16           1-3/8         x         1-7/16	L"         x         W"         Cap. lbs           1         x         1-3/4         200           1-13/16         x         1-7/16         375           1-7/8         x         2-1/2         600           1-7/16         x         1-7/16         200

### **HEAVY-DUTY BENCH VISES**

- 80000 PSI Industrial grade ductile iron
- Built-in pipe jaws hold round objects Hardened anvil striking surface ٠
- used for forming and shaping Safety locking plate in base
- prevents the vise from slipping

# **TYL093**

### auroratools

Model No.	Jaw Width''	Jaw Opening''	Throat Depth''	Promo Price
TYL093	4	4-1/2	2-7/10	129.00
TYL094	5	5-1/2	3-3/10	175.00
TYL095	6	6-1/2	3-1/2	249.00
TYL096	8	8-1/2	4	295.00

### CRESCENT Lufkin

Model No.	MFG No.	Blade L'		mensions W"	Graduations	Promo Price
TLV745	CS8516	16	х	3/4	in/ft.	14.95
TLV746	CS8525	25	х	1-3/16	in/ft.	24.95
TLV747	CS8525ME	26	х	1-3/16	in/cm	24.95

Promo

Price

55.99

# **COMPACT AVIATION SNIPS**

- All three styles in a nylon pouch
- All the power of a full size aviation snip, but is 25% smaller
- Extremely compact cutting head allows for great maneuverability, cutting the narrowest radii
- Designed for long continuous, straight and curved cuts, sliding the surface being cut beneath your fingers and reducing the chance of injury

D15-SET





### MICROMETER TORQUE WRENCHES

- Pliable, elastomer handle grip for superior comfort and oil resistance
- Accurate in clockwise direction +/- 3% in upper 80% of the range
- Micrometer twist lock ring provides secure locking mechanism
- Sealed tear-drop head provides access and strength and keeps out contaminants

5	G	EA	R	W	R	EN	IC	H.

	TLV412	GEARWRENC
-		

Model No.	MFG No.	Drive Size"	Torque Range	Promo Price
TLV412	85061	3/8	25 - 250 in-lbs	129.00
TLV413	85062	3/8	10 - 100 ft-lbs.	149.00
TLV414	85066	1/2	30 - 250 ft-lbs.	169.00

BESSEY

No.

TLV294





TLV746



**TLV626** 

### RUBBER MALLETS • Hardwood handle • Non-marking rubber head TJZ043 aurora aurora TJZ045 auroratools Wt. Model Promo No. Colour Price oz. Black TJZ043 16 6.35 **TJZ044** Black 32 7.65 **TJZ045** White 16 7.85 **TJZ046** White 32 9.95

## **13-IN-1 RATCHETING DRIVER**

- Delivers over 225 in./lbs. of torque strength
- Precision 28-tooth ratchet design makes driving fasteners faster and easier
- Retractable bit cartridge provides time and space savings
- Cushion grip, tapered designed handle provides extra comfort and chamfered solid shaft for long life and durability
- Bit Sizes: Phillips 0, 1, 2, 3, Robertson 1, 2, Slot 4", 6", Torx 10, 15, 20, 25

# MEGAPRÐ Every bit better.

TLY304

Model	MFG	Promo
No.	No.	Price
<b>TNB482</b>	211R2C36RD	46.75

### MAGNETIC SWEEPERS

- Two-Wheel Sweeper, 48" handle
- All models will pick any ferrous materials such as screws, nuts, wire, nails tacks, bolts, staples and metal shavings
- Sweeper with quick release has a handle made of aluminum stainless steel with the magnet encased in the stainless steel
- Lightweight T-bar type made of heavy gauge aluminum for picking up ferrous debris from workbenches, floors and hard to reach areas

### IAG-MATE'

Model No.	MFG No.	Width"	Promo Price
TLY304	FS1200	12	139.00
TLY305	FS2400	24	229.00

### **COMBINATION FIXED HEAD RATCHETING WRENCH SETS**

- Set includes a roll pouch and (8) SAE ratchet wrenches
- Ratcheting heads allow for faster removal and installation of fasteners
- 72-tooth ratchet gear • & 12-point box end for snug fit
- Meets ANSI standards



### auroratools

Model No.	Size Standard	Includes	Promo Price	
TEQ832	Imperial	5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4"	99.95	
TEQ834	Metric	8 mm, 10 mm, 12 mm, 13 mm, 14 mm, 15 mm, 16 mm, 18 mm	99.95	

### PLIERS

- Sure gripping precision milled jaws
- Light and rugged drop-forged alloy steel
- Flush pivot design for use in tight spaces
- Meets ANSI standards

### TJZ078

TJZ080

				-
_			10	ols
	UI			U b

		64 64 A C	1
Model No.	Description	Overall Length''	Promo Price
TJZ080*	Groove Joint	10	15.49
TJZ078	Slip Joint	6-1/2	8.45
* Graavaa	ndaraut and millad to prov	vant alianing who	n tiahtanina

Grooves undercut and milled to prevent slipping when tightening

### DIGITAL MEASURING WHEEL

	• Lightweight and easy to use, designed for professional and personal usage
· Comment	<ul> <li>Large wheel model ensures accuracy and is ideal for uneven terrain</li> </ul>
I	<ul> <li>Suitable for outdoor and indoor distance measuring applications</li> </ul>
	Pistol grip handle for ergonomic comfort
	Measuring Range: 99999.9 m
aurorato	<ul> <li>Graduations: Feet/Metres</li> <li>• Wheel Diameter: 12.5"/31.8 cm</li> <li>• Resolution: 0.1 m</li> </ul>
	<ul> <li>Power: 3 V (2 x LR3 Batteries)</li> </ul>
	<ul> <li>Suitable Temperature: -10°C - 45°C</li> </ul>
Model	Promo

Model	Promo
No.	Price
TYY302	84.95

### **CITRUS BASE CLEANER**

- Heavy-duty degreaser/cleaner
- Safe on metals, ceramic, glass, porcelain and many plastics
- Removes grease, oil, ink and most adhesives
- No harmful solvents
- Format: 24 oz.



No.	No.	Price
QN488	CITRUS-24OZ-IND	26.89

• Ideal for a v	and applications tant r nm (2") rer	CT TAPE	ADHESIF
Model	Length	Thickness	Promo
No.		mils	Price
PF689	45 m (150')	6	3.69
PF688	55 m (180')		5.49



### LU204 DRY FILM **GRAPHITE LUBRICANT**

• Ideal where a dry lubricant is or where petroleum products must be avoided • Adheres with minimum pre-treatment • Effective up to 850°F constant

and 1000°F intermittent • Dries rapidly at room temperature

- Format: 16 oz.
  - Container Type: Aerosol Can

Model	MFG	Promo
No.	No.	Price
AA107	SC0204000	9.49

### STRENGTH DEGREASER • An aqueous cleaner that removes heavy

**HYDROFORCE® INDUSTRIAL** 

- deposits of grease, oil and dirt Biodegradable, concentrated, •
- non-abrasive and non-flammable
- Use caution on soft metals and painted surfaces
- Format: 32 oz.

CR@

• Container Type: Bottle

	12
	CRC
1	FORCE
	P - Industrial Strength Degregation Degregation (Industrial Parisons) Industrial Parison (Industrial Industrial Parison (Industrial Industrial Parison (Industrial
	ALL AND ALL AN

Model No.	MFG No.	Promo Price
AF112	74415	16.59

### WD-40<sup>®</sup> SPECIALIST<sup>™</sup> **SPRAY & STAY**

• Offers long-lasting lubrication that

won't run, drip or make a mess • Gel stays where you spray it, making it ideal for use on vertical surfaces and moving parts like chains, cables, gears, rollers and bearings

• Safe on multiple surfaces

including metal, plastic and rubber

- Effective Temperature Range: -100°F to 500°F
  - Film Type: Wet
  - Format: 425 g
  - Container Type:
    - Aerosol Can

### EREEZE SPRAY

- ly freezes surfaces g equipment
- ent
- s
- Appearance: Clear Colourless Liquefied Gas
- Plastic Safe: Yes
- Flashpoint: None
- Evaporation Rate: Very Fast
  - Net Volume: 355 ml
  - Format: 284 g
  - Container Type: Aerosol Can




Model	MFG	Promo
No.	No.	Price
AF176	01221	9.99

SPECIALIST.

Model	MFG	Promo
No.	No.	Price
AE971	74086	18.90

CR@

•	Aerosol coolant system that instantly to -60°F, dissipating heat and cooling
•	Assists in locating thermal intermitte components, failures and shorts
•	Safe to use on sensitive components and all surfaces finishes



### WORKSHOP POWER BOX

- Features cord wrap and surge protector to protect your devices from an overload
- Lighted on/off switch
- Keyhole slots on the back of the unit allow the model to be mounted under a desk, on walls or other locations
- Indoor use only
- Cord Length: 6'
- Amps: 15 AmpsWattage: 1875 W
- Voltage: 125 V
- Rated Joules: 1050 J
- Outlets: Total of 8 –
- 5 standard, 3 wide space
- Housing Material: Metal
- Colour: Black/Yellow

Model No. XH162



auroratools

Promo Price
19.95

### AFL100 LED FLASHLIGHTS

- Super bright LED bulb
- Polypropylene body resists grease and chemicals
- Shatterproof lens
- Ribbed non-slip barrel
- High visibility yellow colour for easy visibility
- Batteries not included



# auroratools<sup>.</sup>

Model No.	Batteries	Lumens	Promo Price
XC977	2 AA-cells	28	2.69
XC978	2 D-cells	35	3.99

## PERFORMANCE PLUS WIRE CONNECTORS



### ELECTRICAL TAPE

- Electrical tape for splicing and insulating wires
- For use between -7°C and 80°C
- CSA approved
- Width: 19 mm (3/4")
- Length: 18 M (60')
- Thickness: 7 mils
- Vinyl Plastic

# *auroratools*°

Model No.	Material	Promo Price
XE890	Black	0.88
XH383	Red	0.88
XH384	Green	0.88
XH385	Blue	0.88
XH386	White	0.88
XH387	Yellow	0.88

XH383

### **PVC GROUNDING PLUG & CONNECTOR**

- Moisture and chemical resistant plastic body
  - Ideal for indoor and outdoor use
    - Amperage: 15 A, Voltage: 125 V
    - Cord Diameter: 0.245" 0.655"
    - Wire Gauge: 16/3 to 14/3 cords
      Colour: Yellow

XE672

auroratools



Description	Configuration	Price
Plug	5-15P 5-15R	1.99 3.89
		Plug 5-15P

### SCOTCHCODE<sup>™</sup> PRE-PRINTED WIRE MARKER BOOKS



Model No.	MFG No.	Printed Text Type	Promo Price
XH304	SPB-11	1 to 30	23.50
XH305	SPB-03	1 to 45	23.50
XH306	SPB-01	0 to 9	23.50



Model		Dimensions				Promo	
No.	Ľ"	х	W"	х	Н"	Colour	Price
5.5 CU.FT. C	APACITY						
ND337	30	х	24	х	24	Yellow	159.00
ND202	30	х	24	х	24	Grey	159.00
10 CU.FT. CA	APACITY						
NM947	48	х	24	х	24	Yellow	229.00
NM948	48	х	24	х	24	Grey	229.00
PE095	1-Gallo	1-Gallon Polyethylene Scoop			Yellow	18.95	
PE096	1-Gallo	on Po	lyethy	/lene	e Scoop	White	18.95

Comes w/rain cover & screen

### **BROADCAST SPREADER**

- Steel tube frame construction with chrome-plated hardware
  Heavy-duty nylon gear box
  - increases product life spanSetting control on handle
  - for precise adjustments12" x 4" pneumatic tires
    - Coverage: 16000 sq.ft.
      Capacity: 100 lbs.

auroratools<sup>.</sup>

Model	Promo
No.	Price
NJ142	159.00

### NATURAL CHOICE™ ICE MELTER

- All-natural ice melter with an organic additive that improves its performance
- This additive also acts as a corrosion inhibitor to reduce metal fatigue
- Eco-friendly ice melter
- Container Size: 44 lbs. (20 kg)
- Melting Point: -24°C (-11°F)

DIVERS	IFIED IN
Dr	0 m c

Model No.	MFG No.	Promo Price
NJ140	N0051B	26.95



### PORTABLE SALAMANDER HEATER

- 240 V, 34121 BTU/h, 10080 W
- Adjustable thermostat
- Adjustable tilt angle
- Mounted on 10" solid rubber wheels
- Power Source: Electric
- Fan Motor Type: Enclosed air over, ball bearing
- Over heat protection
- One heat setting, fan forced

MATRIX INDUSTRIAL PRODUCTS	
Model	

Model	Promo
No.	Price
EA786	999.00

 EA532	HEAVY-DUTY C MOUNT HE	-
	for eas • Automat • Rugged indus • Ideal for use in stor workshops, garages, w	
•		MATRIX*
Motor	Rating (BTU/h) Min. Max.	Promo Price

Model		Rating (BTU/h)		Promo
No.	Motor	Min.	Max.	Price
EA532	Open	8530	17060	199.00
EA652	Enclosed	8530	25600	299.00

### PORTABLE CERAMIC HEATER

- 120 V, 2600/5200 BTU/h
- Two heat settings (1500 W and 750 W) provide full comfort and efficient operation
- Adjustable thermostat
- Convenient carry handle
- Stable metal base with tilt angle
- Tip-over and overheat protection
- Power Source: Electric
- Power Cord Length: 6'

ModelPromoNo.PriceEA78558.95



Pricing in effect until December 27, 2019 or while quantities last. Taxes and freight extra. Prices are subject to change, and may vary without prior notice. Issue #SDW219102NA