

## Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

Date of issue: 05/09/2017 Version: 1.0

### SECTION 1: Identification

### 1.1. Product identifier

Product form : Substance

Substance name : Carbon Dioxide (Compressed)

 Chemical name
 : Carbon Dioxide

 CAS-No.
 : 124-38-9

 Product code
 : CA-1001-07262

Formula : CO<sub>2</sub>

Synonyms : Carbonic acid gas / Carbon dioxide in coal mines / Carbon dioxide / ALIGAL™ 2

## 1.2. Recommended use and restrictions on use

Recommended uses and restrictions : Protective Atmosphere for Food and Beverages; Semiconductor Purposes; Manufacture of

Substances

## 1.3. Supplier

Air Liquide Canada Inc. 1250, René Lévesque West Blvd. Suite 1700 H3B 5E6 Montreal, QC - Canada T 1-800-817-7697 www.airliquide.ca

#### 1.4. Emergency telephone number

Emergency number : 514-878-1667

## **SECTION 2: Hazard identification**

### 2.1. Classification of the substance or mixture

#### Classification (GHS-CA)

Gases under pressure : Liquefied gas H280 Full text of H statements : see section 16

# 2.2. GHS Label elements, including precautionary statements

#### **GHS-CA labelling**

Hazard pictograms (GHS-CA)



GHS04

Signal word (GHS-CA) : Warning

Hazard statements (GHS-CA) : H280 - Contains gas under pressure; may explode if heated

OSHA-H01 - May displace oxygen and cause rapid suffocation

CGA-HG01 - May cause frostbite

CGA-HG03 - May increase respiration and heart rate

Precautionary statements (GHS-CA) : P501 - Dispose of contents/container in accordance with local/regional/national/international

regulations.

P403 - Store in a well-ventilated place

P261 - Avoid breathing dust/fume/gas/mist/vapours/spray

P202 - Do not handle until all safety precautions have been read and understood

P308+P313 - IF exposed or concerned: Get medical advice/attention

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P271 - Use only outdoors or in a well-ventilated area

P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing P302 - IF ON SKIN: Thaw frosted parts with lukewarm water. Do not rub affected area, Get immediate medical advice/attention

CGA-PG02 - Protect from sunlight when ambient temperature exceeds 52 °C/125 °F

CGA-PG05 - Use a back flow preventive device in the piping CGA-PG06 - Close valve after each use and when empty CGA-PG10 - Use only with equipment rated for cylinder pressure

CGA-PG14 - Approach suspected leak area with caution CGA-PG21 - Open valve slowly

05/09/2017 EN (English) Page 1

# Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

#### 2.3. Other hazards

No additional information available

#### 2.4. Unknown acute toxicity (GHS-CA)

No data available

## **SECTION 3: Composition/information on ingredients**

## 3.1. Substances

Name : Carbon Dioxide (Compressed)

CAS-No. : 124-38-9

Name	Chemical name/Synonyms	Product identifier	%	Classification (GHS-CA)
Carbon Dioxide		(CAS-No.) 124-38-9	<= 99.9	Press. Gas (Liq.), H280

Full text of hazard classes and H-statements : see section 16

#### 3.2. Mixtures

Not applicable

## **SECTION 4: First-aid measures**

#### 4.1. Description of first aid measures

First-aid measures after inhalation : Remove victim to fresh air and keep at rest in a position comfortable for breathing. If you feel

unwell, seek medical advice.

First-aid measures after skin contact : Thaw frosted parts with lukewarm water. Do not rub affected area. Get immediate medical

advice/attention.

First-aid measures after eye contact : Immediately flush eyes thoroughly with water for at least 15 minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Get immediate medical advice/attention.

First-aid measures after ingestion : Ingestion is not considered a potential route of exposure.

### 4.2. Most important symptoms and effects (acute and delayed)

Symptoms/effects after inhalation : May displace oxygen and cause rapid suffocation. May increase respiration and heart rate.

Symptoms/effects after skin contact : May cause frostbite.

Symptoms/effects after eye contact : Contact with the product may cause cold burns or frostbite. Symptoms/effects after ingestion : Ingestion is not considered a potential route of exposure.

Symptoms/effects upon intravenous : Not known.

administration

Chronic symptoms : Adverse effects not expected from this product.

# 4.3. Immediate medical attention and special treatment, if necessary

Other medical advice or treatment : If you feel unwell, seek medical advice. If breathing is difficult, give oxygen.

## **SECTION 5: Fire-fighting measures**

### 5.1. Suitable extinguishing media

Suitable extinguishing media : Use extinguishing media appropriate for surrounding fire.

## 5.2. Unsuitable extinguishing media

Unsuitable extinguishing media : Do not use water jet to extinguish.

# 5.3. Specific hazards arising from the hazardous product

Fire hazard : The product is not flammable.

Explosion hazard : Product is not explosive. Heat may build pressure, rupturing closed containers, spreading fire

and increasing risk of burns and injuries.

Hazardous combustion products : None

### 5.4. Special protective equipment and precautions for fire-fighters

Firefighting instructions : In case of fire: Evacuate area. Fight fire remotely due to the risk of explosion. Use water spray

or fog for cooling exposed containers. Exercise caution when fighting any chemical fire.

Exposure to fire may cause containers to rupture/explode.

Protection during firefighting : Standard protective clothing and equipment (e.g, Self Contained Breathing Apparatus) for fire

fighters. Do not enter fire area without proper protective equipment, including respiratory

protection.

05/09/2017 EN (English) 2/8

# Safety Data Sheet

General measures

according to the Hazardous Products Regulation (February 11, 2015)

### **SECTION 6: Accidental release measures**

## 6.1. Personal precautions, protective equipment and emergency procedures

Personal Precautions, Protective Equipment

: Ensure adequate ventilation.

and Emergency Procedures

EVACUATE ALL PERSONNEL FROM AFFECTED AREA. Use appropriate protective equipment. If leak is on user's equipment, be certain to purge piping before attempting repairs. If leak is on a container or container valve contact the closest Air Liquide Canada location.

#### 6.2. Methods and materials for containment and cleaning up

For containment : Try to stop release if without risk.

Methods for cleaning up : Dispose of contents/container in accordance with local/regional/national/international

regulations.

### 6.3. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection"

## **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Precautions for safe handling : Do not handle until all safety precautions have been read and understood. Use only outdoors or

in a well-ventilated area.

Hygiene measures : Do not eat, drink or smoke when using this product.

Additional hazards when processed : Pressurized container: Do not pierce or burn, even after use. Use only with equipment rated for

cylinder pressure. Close valve after each use and when empty.

#### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Comply with applicable regulations.

Storage conditions : Do not expose to temperatures exceeding 52 °C/ 125 °F. Keep container closed when not in

use. Protect cylinders from physical damage; do not drag, roll, slide or drop. Store in well

ventilated area.

Incompatible products : None known.
Incompatible materials : None known.

#### SECTION 8: Exposure controls/personal protection

## 8.1. Control parameters

Carbon Dioxide (124-38-9)			
USA - ACGIH	ACGIH TWA (ppm)	5000 ppm	
USA - ACGIH	ACGIH STEL (ppm)	30000 ppm	
USA - OSHA	OSHA PEL (TWA) (mg/m³)	9000 mg/m³	
USA - OSHA	OSHA PEL (TWA) (ppm)	5000 ppm	
Canada (Quebec)	VECD (mg/m³)	54000 mg/m³	
Canada (Quebec)	VECD (ppm)	30000 ppm	
Canada (Quebec)	VEMP (mg/m³)	9000 mg/m³	
Canada (Quebec)	VEMP (ppm)	5000 ppm	
Alberta	OEL STEL (mg/m³)	54000 mg/m <sup>3</sup>	
Alberta	OEL STEL (ppm)	30000 ppm	
Alberta	OEL TWA (mg/m³)	9000 mg/m³	
Alberta	OEL TWA (ppm)	5000 ppm	
British Columbia	OEL STEL (ppm)	15000 ppm	
British Columbia	OEL TWA (ppm)	5000 ppm	
Manitoba	OEL STEL (ppm)	30000 ppm	
Manitoba	OEL TWA (ppm)	5000 ppm	
New Brunswick	OEL STEL (mg/m³)	54000 mg/m³	
New Brunswick	OEL STEL (ppm)	30000 ppm	
New Brunswick	OEL TWA (mg/m³)	9000 mg/m³	
New Brunswick	OEL TWA (ppm)	5000 ppm	
New Foundland & Labrador	OEL STEL (ppm)	30000 ppm	
New Foundland & Labrador	OEL TWA (ppm)	5000 ppm	
Nova Scotia	OEL STEL (ppm)	30000 ppm	
Nova Scotia	OEL TWA (ppm)	5000 ppm	

05/09/2017 EN (English) 3/8

# Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

Carbon Dioxide (124-38-9)			
Nunavut	OEL STEL (ppm)	30000 ppm	
Nunavut	OEL TWA (ppm)	5000 ppm	
Northwest Territories	OEL STEL (ppm)	30000 ppm	
Northwest Territories	OEL TWA (ppm)	5000 ppm	
Ontario	OEL STEL (ppm)	30000 ppm	
Ontario	OEL TWA (ppm)	5000 ppm	
Prince Edward Island	OEL STEL (ppm)	30000 ppm	
Prince Edward Island	OEL TWA (ppm)	5000 ppm	
Saskatchewan	OEL STEL (ppm)	30000 ppm	
Saskatchewan	OEL TWA (ppm)	5000 ppm	
Yukon	OEL STEL (mg/m³)	27000 mg/m³	
Yukon	OEL STEL (ppm)	15000 ppm	
Yukon	OEL TWA (mg/m³)	9000 mg/m³	
Yukon	OEL TWA (ppm)	5000 ppm	

### 8.2. Appropriate engineering controls

Appropriate engineering controls

: Ensure exposure is below occupational exposure limits (where available). Provide adequate general and local exhaust ventilation. Systems under pressure should be regularly checked for leakages. Oxygen detectors should be used when asphyxiating gases may be released. Consider the use of a work permit system e.g. for maintenance activities.

Environmental exposure controls

: Refer to local regulations for restriction of emissions to the atmosphere. See section 13 for

specific methods for waste gas treatment.

## 8.3. Individual protection measures/Personal protective equipment

## Personal protective equipment:

Gloves. Safety glasses. Protective clothing. Safety shoes.

#### Hand protection:

Wear working gloves when handling gas containers.

## Eye protection:

Wear safety glasses with side shields.

## Skin and body protection:

Wear suitable protective clothing, e.g. lab coats, coveralls or flame resistant clothing.

# Respiratory protection:

None necessary during routine operations. See Sections 5 & 6  $\,$ 









### Thermal hazard protection:

None necessary during routine operations.

## Other information:

Wear safety shoes while handling containers.

## **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Physical state : Gas

Appearance : Clear, colorless gas.

Colour : Colourless
Odour : Odourless
Odour threshold : No data available
pH : No data available

05/09/2017 EN (English) 4/8

# Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

Relative evaporation rate (butylacetate=1) : No data available Relative evaporation rate (ether=1) : Not applicable Molecular mass : 44.01 g/mol Melting point : No data available Freezing point : -56.6 °C

Boiling point : No data available

Flash point : Not applicable (non-flammable gas)

Critical temperature : 31.1 °C

Auto-ignition temperature : Not applicable

Decomposition temperature : No data available

Flammability (solid, gas) : See Section 2.1 and 2.2

Vapour pressure : 5730 kPa
Vapour pressure at 50 °C : No data available
Critical pressure : 7381.8 kPa
Relative density : 0.82

Relative gas density : 1.52 Heavier than air

Solubility : Water: 90 %
Log Pow : No data available
Viscosity, kinematic : Not applicable
Viscosity, dynamic : Not applicable

Explosive properties : Not applicable (non-flammable gas).

Oxidising properties : None.

Explosive limits : Not applicable (non-flammable gas)

9.2. Other information

Sublimation point : -78.5 °C

Additional information : Gas/vapour heavier than air. May accumulate in confined spaces, particularly at or below

ground level

# **SECTION 10: Stability and reactivity**

# 10.1. Reactivity

Reactivity : None known.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : None known.

Conditions to avoid : None under recommended storage and handling conditions (see section 7).

Incompatible materials : None known.

Hazardous decomposition products : Under normal conditions of storage and use hazardous decomposition products should not be

produced.

# **SECTION 11: Toxicological information**

### 11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified Acute toxicity (dermal) : Not classified

Acute toxicity (inhalation) : Inhalation:gas: Not classified.

Carbon Dioxide (Compressed) ( \f )124-38-9	
LC50 inhalation rat (ppm)	820000 ppm/4h
ATE CA (gases)	820000.00000000 ppmv/4h

Carbon Dioxide (124-38-9)		
LC50 inhalation rat (ppm)	820000 ppm/4h	
Skin corrosion/irritation	: Not classified	
Serious eye damage/irritation	: Not classified	
Respiratory or skin sensitization	: Not classified	
Germ cell mutagenicity	: Not classified	
Carcinogenicity	: Not classified	
Reproductive toxicity	: Not classified	
STOT-single exposure	: Not classified	
05/09/2017	EN (English)	5/8

# Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

STOT-repeated exposure : Not classified

Aspiration hazard : Not classified

# **SECTION 12: Ecological information**

#### 12.1. Toxicity

No additional information available

### 12.2. Persistence and degradability

Carbon Dioxide (124-38-9)	
Persistence and degradability	No ecological damage caused by this product.

## 12.3. Bioaccumulative potential

Carbon Dioxide (124-38-9)	
BCF fish 1	(no bioaccumulation)
Log Pow	0.83
Bioaccumulative potential	No ecological damage caused by this product.

### 12.4. Mobility in soil

Carbon Dioxide (124-38-9)		
Log Pow	0.83	
Ecology - soil	No ecological damage caused by this product.	

#### 12.5. Other adverse effects

Effect on ozone layer : No known effects from this product.

GWPmix comment : No known effects from this product.

# **SECTION 13: Disposal considerations**

# 13.1. Disposal methods

Waste treatment methods : Contact supplier if guidance is required. Do not discharge into any place where its

accumulation could be dangerous. Ensure that the emission levels from local regulations or

operating permits are not exceeded.

Product/Packaging disposal recommendations : Refer to the CGA Pamphlet P-63 "Disposal of Gases" available at www.cganet.com for

more guidance on suitable disposal methods.

# **SECTION 14: Transport information**

## 14.1. Basic shipping description

In accordance with TDG

## **Transportation of Dangerous Goods**

UN-No. (TDG) : UN1013

TDG Primary Hazard Classes : 2.2 - Class 2.2 - Non-Flammable, Non-Toxic Gas.

Transport Document Description : UN1013 CARBON DIOXIDE, 2.2

Proper Shipping Name : CARBON DIOXIDE

Hazard labels (TDG) : 2.2 - Non-flammable, non-toxic gases



05/09/2017 EN (English) 6/8

## Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

TDG Special Provisions

148 - (1) Part 5 (Means of Containment) does not apply to radiation detectors that contain these dangerous goods in non-refillable pressure receptacles if (a)the working pressure in each receptacle is less than 5 000 KPa; (b)the capacity of each receptacle is less than 12 L; (c)each receptacle has a minimum burst pressure of (i)at least 3 times the working pressure, when the receptacle is fitted with a relief device, or (ii)at least 4 times the working pressure, when the receptacle is not fitted with a relief device; (d)each receptacle is manufactured from material that will not fragment upon rupture; (e)each detector is manufactured under a quality assurance program; ISO 9001:2008 is an example of a quality assurance program. (f)the detectors are transported in strong outer means of containment; and (g)a detector in its outer means of containment is capable of withstanding a 1.2 m drop test without breakage of the detector or rupture of the outer means of containment. (2)Part 5 (Means of Containment) does not apply to radiation detectors that contain these dangerous goods in non-refillable pressure receptacles and that are included in equipment, if (a)the conditions set out in paragraphs (1)(a) to (e) are met; and (b)the equipment is contained in a strong outer means of containment or the equipment affords the detectors with protection that is equivalent to that provided by a strong outer means of containment. (3)These Regulations, except for Part 1 (Coming into Force, Repeal, Interpretation, General Provisions and Special Cases) and Part 2 (Classification), do not apply to radiation detectors that contain these dangerous goods in non-refillable pressure receptacles, including detectors in radiation detection systems, if the detectors meet the requirements of subsection (1) or (2), as applicable, and the capacity of the receptacles that contain the detectors is less than 50 mL. SOR/2014-306

Explosive Limit and Limited Quantity Index : 0.125 L Excepted quantities (TDG) : E1

Passenger Carrying Road Vehicle or Passenger : 75 L

Carrying Railway Vehicle Index

### 14.2. Transport information/DOT - USA

## **Department of Transport**

DOT NA no. : UN1013 UN-No.(DOT) : 1013

Transport Document Description : UN1013 Carbon dioxide, 2.2

Proper Shipping Name (DOT) : Carbon dioxide

Contains Statement Field Selection (DOT) : DOT\_TECHNICAL - Proper Shipping Name - Technical (DOT)

Class (DOT) : 2.2 - Class 2.2 - Non-flammable compressed gas 49 CFR 173.115

Division (DOT) : 2.2

Hazard labels (DOT) : 2.2 - Non-flammable gas



Dangerous for the environment : No

DOT Packaging Exceptions (49 CFR 173.xxx) : 306

DOT Packaging Non Bulk (49 CFR 173.xxx) : 302;304

DOT Packaging Bulk (49 CFR 173.xxx) : 302;314;315

DOT Quantity Limitations Passenger aircraft/rail : 75 kg

(49 CFR 173.27)

DOT Quantity Limitations Cargo aircraft only (49 : 150 kg

CFR 175.75)

DOT Vessel Stowage Location : A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a

passenger vessel.

Emergency Response Guide (ERG) Number : 120

Other information : No supplementary information available.

14.3. Air and sea transport

**IMDG** 

UN-No. (IMDG) : 1013

05/09/2017 EN (English) 7/8

# Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

Proper Shipping Name (IMDG) : CARBON DIOXIDE

Transport Document Description (IMDG) : UN 1013 CARBON DIOXIDE, 2.2

Class (IMDG) : 2 - Gases

**IATA** 

UN-No. (IATA) : 1013

Proper Shipping Name (IATA) : Carbon dioxide

Transport Document Description (IATA) : UN 1013 Carbon dioxide, 2.2

Class (IATA) : 2

# **SECTION 15: Regulatory information**

### 15.1. National regulations

# Carbon Dioxide (124-38-9)

Listed on the Canadian DSL (Domestic Substances List)

#### 15.2. International regulations

### Carbon Dioxide (124-38-9)

Listed on the AICS (Australian Inventory of Chemical Substances)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

Listed on the Korean ECL (Existing Chemicals List)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Listed on INSQ (Mexican National Inventory of Chemical Substances)

Listed on Turkish inventory of chemical

# **SECTION 16: Other information**

Date of issue : 05/09/2017

## Full text of H-statements:

H280	Contains gas under pressure; may explode if heated

SDS Canada (GHS)

THE INFORMATION, RECOMMENDATIONS AND DATA CONTAINED IN THIS DOCUMENT ARE INTENDED TO BE USED BY PROPERLY TRAINED AND QUALIFIED PERSONNEL ONLY AND AT THEIR SOLE RISKS AND DISCRETION. THE INFORMATION, RECOMMENDATIONS AND DATA HEREIN CONTAINED ARE DERIVED FROM SOURCES WHICH WE BELIEVE TO BE RELIABLE. HOWEVER, AIR LIQUIDE CANADA INC. MAKES NO REPRESENTATION AND GIVES NO WARRANTY OF ANY KIND WHATSOEVER WITH RESPECT TO THEIR ACCURACY OR COMPLETENESS AND ASSUMES NO LIABILITY FOR DAMAGES OR LOSS ARISING DIRECTLY OR INDIRECTLY FROM THEIR USE, WHETHER PROPER OR IMPROPER.

05/09/2017 EN (English) 8/8